

## Summary Result of 2<sup>nd</sup> Public Stakeholder Consultation

1. The public consultation was conducted by discussion with group of relevant stakeholders. The consultation was obtained the opinion, concern, suggestion and recommendation from the authority and relevant stakeholder. The result of 2<sup>nd</sup> public stakeholder consultation is summarized as following table:

| Date, Venue  | Key Opinion, Concern and Suggestion   | Response |
|--|---|----------|
| <b>2<sup>nd</sup> Public Stakeholder Consultation Meeting</b>                          |   |          |
| <p>On 23<sup>rd</sup> June, 2023 (08:30-11:30 am)</p> <p>Sangkat Kampong Cham Hall</p> | <p><b>Ms. Khoun Kunlakanna</b>, teamwork of Sustinat Green Co., ltd. presented the agenda of meeting as below:</p> <ol style="list-style-type: none"> <li>1) Introduction of the project overview and purpose of meeting</li> <li>2) Expression of Deputy Governor of Kampong Cham city to the project for Upgrading Quality of Health Service of Kampong Cham Provincial Hospital</li> <li>3) Presentation on project information and summary results of 1<sup>st</sup> public stakeholder consultation meeting and existing environmental resource study by SG technical team.</li> </ol> |          |
|  | <p><b>Ms. Rin Theara</b>, Deputy Governor of Kampong Cham city started opening remark and expressed the feeling on proposed project and requested all the participants demonstrate the opinion and concern on the project.</p>  |          |
|  | <p><b>Miss. Keo Vicheka</b>, Project team leader presented on the project information and discussed with the stakeholder on possible positive and negative impact and requested them to raise the opinion, concern and suggestion on the project within the project construction and operational phases.</p>  |          |
|  | <p><b>Mr. Va Sroeun</b>, Director of Environmental Protection Office of Kampong Cham Provincial Department of Environment appreciated and supported to the proposed project. He raised the opinion on building layout releasing to have good atmosphere/ventilation, especially in the waiting room. Nevertheless, I concerned on impact of solid/liquid waste management from demolishing activities and noise from construction activities.</p>   |          |

|  |   |   |
|--|---|---|
|  | <p><b>Citizen of Phum 7<sup>th</sup></b>, Sangkat Kampong Cham, supported to the proposed project. She suggested on medical waste burning and ash waste after burning to be well managed due to ash waste can be flowed to the public while raining.</p>  | <p><b>Dr. Im Sophea</b>, Disaster and Environmental Health Management Bureau officer of the Preventive Medicine Department, Ministry of Health expressed that the proposed project is improvement project from provincial hospital to be local hospital. Regarding to medical waste incinerator issue, the hospital side is finding the good quality equipment for medical waste burning to be efficiently minimized the smoke. He also asked citizen to understand on this issue.</p> <p><b>Dr. Chreng Norith</b>, Deputy director of Kampong Cham Provincial Hospital, Department of Health, appreciated on the proposed project and asked the apology from citizens for the happening issue.</p> <p>He expressed that after 1<sup>st</sup> public stakeholder consultation meeting, the hospital side has some improved on broken chimney of incinerator. It is also finding the solution as well as new modern technology to minimize the releasing of smoke as possible.</p> |
|  | <p><b>Mr. Plaok Sovann, Commune chief of Sangkat Kampong Cham</b>, said that he satisfied and supported to the proposed project because the project will provide the medical service better than before as well as easy for citizens to treatment and reduce expense for treatment due to local citizens will not go far away from their residence to find a better treatment service. He concerned and suggested to the proposed project as following:</p> <p><b>Concern:</b></p> <ul style="list-style-type: none"> <li>- Dust/smoke and impure air releasing during construction stage.</li> </ul> <p><b>Suggestion:</b></p> <ul style="list-style-type: none"> <li>- Be well room preparation for patients to avoid crowding during construction.</li> <li>- Conduct the modern technology of medical waste incinerator.</li> </ul> |   |
|  | <p><b>Mr. Cheng Sokha</b>, Veal Vong deputy commune chief, satisfied for the presence of the project. He suggested that be appropriate preparation on construction materials transportation during construction.</p>  |   |
|  | <p><b>Citizen of Phum 8<sup>th</sup></b>, Sangkat Kampong Cham, suggested to the project to organize the hospital to be qualified, well managed on solid/construction waste storage during construction stage.</p>  |   |
|  | <p><b>Ms. Penh Sokunthy</b>, Officer, Kampong Cham Provincial Department of Health, satisfied and supported for the establish of the proposed project.</p> <p>She also appreciated for the preparation of environmental impact mitigation measure of the project.</p>   |   |

|  |  |
|--|--|
| <p><b>H.E Han Kosal</b>, Deputy Governor of Kampong Cham Provincial Hall, thankful for the whole meeting. He suggested to the hospital to find the mitigation measure on smoke from medical waste incinerator and suggested to citizen to be patient and understand on the happening issue during project improvement.</p> <p>He said, for the project improvement, there always has much or less impact. Even though, the project should minimize the impact as smaller as possible.</p> <p>Lastly, He is thankful to participants and closed remark.</p> |  |
|--|--|

**Pictures of 2<sup>nd</sup> public consultation meeting**

